


HARDWARE & MACHINERY



HHM

何宏明企業股份有限公司

Ho Hung Ming Enterprises Co.,Ltd.

www.hohm.com

HM-307AS Eyeleting Machine (Table Type) 半自動雞眼機




Throat Depth / 喉深	4 1/2"
Power / 馬力	1/4 HP
Stroke / 行程	50 m/m
Net Weight / 淨重	100 kg
Gross Weight / 毛重	160 kg
Packing Size / 裝箱尺寸	31"L X 25"W X 67"H
Suitable Hardware/適用範圍	Eyelet & Prong Snap Button/ 雞眼、五爪扣
Suitable Size/ 適用尺寸	內徑2.5-34mm

Feature:
Used for riveting of leather belt, shoe upper and various kinds of leather articles. Automatic eyelet feeding for continuous setting operation. Washer loading by hand operated. Ideal for single sided eyelet setting. Recommended for use with small to middle size eyelets.

產品特色：
適用於皮帶、鞋面、及各種皮件雞眼鉚合。單面雞眼連續自動送料，套片可手動送料，適合中小型單面雞眼鉚合。

HM-307AY Mini Eyeleting Machine 小雞眼機



Throat Depth / 喉深	4 1/4"
Power / 馬力	1/4 HP
Stroke / 行程	34 m/m
Net Weight / 淨重	70 kg
Gross Weight / 毛重	126 kg
Packing Size / 裝箱尺寸	44 1/4"L X 26"W X 42 1/2" H
Suitable Hardware/適用範圍	Small Size Eyelet/ 小雞眼
Suitable Size/ 適用尺寸	內徑1-7mm

Feature:
Smaller, lighter eyeleting machine designed for eyelets under 3m/m. Single side automatic feeding for continuous setting.

產品特色：
適用鉚合較薄、較小尺寸雞眼（3m/m以下），具單邊自動連續送料功能。

HM-307US Olive Shape Eyeleting Machine 長形雞眼機



Throat Depth / 喉深	4 1/2"
Power / 馬力	1/4 HP
Stroke / 行程	60 m/m
Net Weight / 淨重	100 kg
Gross Weight / 毛重	160 kg
Packing Size / 裝箱尺寸	29 "L X 27"W X 60"H
Suitable Hardware/適用範圍	Olive Shape Eyelet/ 長型雞眼
Suitable Size/ 適用尺寸	Φ 14-25mm

Feature:
Setting machine, specially designed for olive-shape eyelets. Single side automatic feeding.

產品特色：
專用鉚合長型雞眼機，單邊自動送料功能。

HM-308AP Auto Piercing Grommeting Machine

單眼自動沖孔雞眼機



Throat Depth / 喉深	5"
Power / 馬力	1/2 HP
Stroke / 行程	60 m/m
Net Weight / 淨重	165 kg
Gross Weight / 毛重	245 kg
Packing Size / 裝箱尺寸	27"L × 26"W × 67"H
Suitable Hardware/適用範圍	Eyelet/ 雞眼

Feature:
Fully automatic grommet setting machine. Continuous single or double side feeding. Automatic hole-piercing before setting. Suitable for light or thin material.

產品特色：
全自動雞眼機，可單邊/雙邊連續自動送料，以及具備鉚合前自動穿孔功能，適合輕薄材料。

HM-308AN Fully Automatic Eyeleting Machine

全自動機眼機



Throat Depth / 喉深	5"
Power / 馬力	1/4 HP
Stroke / 行程	60 m/m
Net Weight / 淨重	160 kg
Gross Weight / 毛重	240 kg
Packing Size / 裝箱尺寸	27"L × 26"W × 67"H
Suitable Hardware/適用範圍	Eyelet/ 雞眼

Features:
Used for eyeleting of leather belt, shoe upper and various kinds of leather articles. Automatic feeding system of eyelet, and washer loading by hand operated. Automatic dual feeding and riveting of top and bottom pieces at once. Hole punching recommended before setting.

產品特色：
適用於皮帶、鞋面、各種皮件之雞眼鉚合。雞眼、套片皆自動送料。採用上、下自動送料，一次鉚合。並建議鉚合前先打孔。

HM-935 Automatic Punching Double-Side Eyeleting Machine

自動雙面孔雞眼機



Nailing Speed/釘眼次數	240 p/ min
Power / 馬力	1/2 HP
Spacing Adjustment/釘眼距離	12-35mm
Nailing Size/釘眼規格	20-600#
Gross Weight / 毛重	250 kg
Packing Size / 裝箱尺寸	33"L × 23"W × 61"H
Suitable hardware/適用範圍	Eyelet/雞眼

Feature:
Automatically punch or continuously punch shoe eyes. Eyeleting and punching can be finished once. Can adjust the pitch of two eyelets freely according to the requirement. The efficiency is 8-15 times per min of manual operation.

產品特色：
可連續自動沖孔，且沖孔、鉚合雞眼一次完成。兩孔之間的距離，可依照需求自由調整，效率為手動鉚合的8-15倍。

HM-308BN Snap Fastener Setting Machine 鈕釦機



Throat Depth / 喉深	5"
Power / 馬力	1/4 HP
Stroke / 行程	50 m/m
Net Weight / 淨重	160 kg
Gross Weight / 毛重	240 kg
Packing Size / 裝箱尺寸	29"L × 27"W × 67"H
效能/EFFICENCY	7000/ 8hr
Suitable hardware/適用範圍	Snap Button, Eyelet, Snap Press Button, Plastic Snap Button, Semi-tubular Rivet, Jeans Button, Hollow Rivet / 四合釦、雞眼、壓釦、塑鋼釦、開叉釘、牛仔釦、空心釘

Features:
Suited for riveting bag inner cloth. All buttons are automatically feed. Single button riveting. Automatic feeding of top and bottom pieces for fast setting.

產品特色：
適用於鉚合服裝、皮箱內裡各種壓釦，採取上、下邊自動送料。單粒鉚合 / 鈕扣公母釦皆能自動送料。

HM-307BE Automatic Single Side Feeding Snap Fastening Machine 自動單邊送料鈕釦機



Throat Depth / 喉深	4 1/2"
Power / 馬力	1/4 HP
Stroke / 行程	50 m/m
Net Weight / 淨重	105 kg
Gross Weight / 毛重	165 kg
Packing Size / 裝箱尺寸	29"L × 27"W × 63"H
效能/EFFICENCY	7000/ 8hr
Suitable Hardware/適用範圍	Snap Fastener Button, Semi-tubular Rivet/ 四合釦、空心釘
Suitable Size/ 適用尺寸	Φ 10-18mm

Features:
Snap button setting machine with single-side automatic feeding.

產品特色：
單邊自動送料鈕釦機。

HM-307BS Semi-Automatic Snap Fastening Machine (Table Type) 桌上型半自動鈕釦機



Throat Depth / 喉深	4 1/2"
Power / 馬力	1/4 HP
Stroke / 行程	50 m/m
Net Weight / 淨重	95 kg
Gross Weight / 毛重	155 kg
Packing Size / 裝箱尺寸	28"L × 26"W × 56"H

Features:
Used for setting of inner cloth & various types of buttons for bags. Single button setting. Automatic feeding of top button. Feeding top and button pieces by hand operated.

產品特色：
適用於釘皮箱內裡及皮包各式鈕釦，單粒鉚合，鈕釦面自動送料，公母釦手動放料。

HM-308AB Automatic Dual Feeding of Top and Bottom Pieces Riveting Machine
雙邊送料全自動鉚釘機



Throat Depth / 喉深	5"
Power / 馬力	1/4 HP
Stroke / 行程	1.97"
Net Weight / 淨重	165 kg
Gross Weight / 毛重	245 kg
Packing Size / 裝箱尺寸	27"L x 26"W x 67"H
Suitable Hardware/適用範圍	Rivet, Rivet Cap, Cap /卡西美、尖蓋、鉚釘
Suitable Size/ 適用尺寸	Φ6-12mm

Feature:
Automatic dual feeding of top and bottom pieces. Motor-driven powerful setting action. Suitable for small size rivets.

產品特色：
採用馬達傳動雙邊送料，且上、下可自動送料，適合鉚合小尺寸鉚釘。

HM-128 Pneumatic Riveting Machine (Table Type)
泛用桌上型氣壓式鉚釘機



Throat Depth / 喉深	5"
Power / 馬力	1/2 HP
Stroke / 行程	20-40 m/m
Net Weight / 淨重	134 kg
Gross Weight / 毛重	175 kg
Packing Size / 裝箱尺寸	24"L X 19"W X 50"H
適用範圍	Solid Rivet, Semi-tubular Rivet/ 實心釘、中孔釘

Features:
Main spindle and outside pipe can be adjusted easily. The design of main spindle and outside pipe is a round one, so the central line will not deviate when move up and down. Single-phase or three-phase voltage for your choice. Maximum riveting capacity up to 8 mm rivets, but 5mm ones or under are recommended to use, most efficiency.

產品特色：
主軸外管可以作上下調整，主軸外管為一圓型設計，上下調整時，中心線不會偏移。可選擇單相電壓或三相電壓。鉚合能力：Φ2-5mm。

HM-168 High Pressure Table Top of Pneumatic Riveting Machine
高出力桌上型油壓鉚釘機



Throat Depth / 喉深	5"
Power / 馬力	1 HP
Stroke / 行程	20-40 m/m
Net Weight / 淨重	365 kg
Gross Weight / 毛重	420 kg
Packing Size / 裝箱尺寸	33"L X 20 1/2"W X 64"H
適用範圍	Solid Rivet, Semi-tubular Rivet 實心釘、中孔釘

Features:
Stronger riveting capacity except all of advantage of HM-128. Maximum riveting capacity up to 10 mm rivets, but 7 mm ones or under are recommended to use, most efficiency.

產品特色：
鋼板機身，結構強。喉深不夠長，可以加長。具備HM-128所有優點，且鉚合能力更強。鉚合能力：Φ2-7mm。

HM-608SF Mini Rivet Riveting 小型鉚釘機



Throat Depth / 喉深	
Power / 馬力	1/4 HP
Stroke / 行程	50 m/m
Net Weight / 淨重	220 kg
Gross Weight / 毛重	280 kg
Packing Size / 裝箱尺寸	18"L x 31"W x 54"H
Suitable Hardware/適用範圍	Bifurcated Rivet, Semi-tubular Rivet, Hollow Rivet/ 開叉釘、中孔釘、空心釘
Suitable Size/ 適用尺寸	線徑2.0-5mm/管徑6-25mm

Features:

Used for riveting of hollow or tubular rivets such as leather belts, and accessories for leather bag. Single tubular rivet riveting, automatic feed of rivet and washer loading by hand operated.

產品特色：

適用中孔釘、空心釘鉚合。例如：皮帶、皮包等配件。單粒鉚合，鉚釘自動送料，以及套片可手動送料。

HM-608Y Riveting Machine 鉚釘機



Throat Depth / 喉深	10 1/2"
Power / 馬力	1/4 HP
Stroke / 行程	40m/m
Net Weight / 淨重	160kg
Gross Weight / 毛重	210kg
Packing Size / 裝箱尺寸	34"L X 24"W X 63"H
Suitable Hardware/適用範圍	Bifurcated Rivet, Semi-tubular Rivet, Hollow Rivet/ 開叉釘、中孔釘、空心釘
Suitable Size/ 適用尺寸	線徑 2.0-5mm, Φ 6-25mm

Features:

Automatic rivet setting machine with feeding Lower die holder will be designed based on customers' application. Ideal for use on luggage, brief-case, handbags, etc....

產品特色：

適用於鉚合箱包類手把，採取上、下邊自動送料。

HM-612MF Riveting Machine with 12" Throat Depth, 1/2 HP 鉚釘機



Throat Depth / 喉深	12"
Power / 馬力	1/2 HP
Stroke / 行程	70 m/m
Net Weight / 淨重	220 kg
Gross Weight / 毛重	280 kg
Packing Size / 裝箱尺寸	40"L X 26"W X 75"H
Suitable Hardware/適用範圍	Bifurcated Rivet, Semi-tubular Rivet, Hollow Rivet/ 開叉釘、中孔釘、空心釘
Suitable Size/ 適用尺寸	線徑3-8mm長度/ 6-25mm

Features:

HM-612MF is idea for riveting of luggage, handbag, briefcase, handle, pulling strap, etc. Automatic setting machine with riveting feeding. Single rivet riveting, automatic feeding of rivet, and washer loading by hand operated.

產品特色：

適合鉚合一般箱包手把、拉桿、托帶側釘等。單粒鉚合、鉚釘自動送料，套片可手動放料。

HM-612H Hydraulic Riveting Machine 油壓鉚釘機



Throat Depth / 喉深	11"
Power / 馬力	3 HP
Stroke / 行程	50m/m
Net Weight / 淨重	400kg
Gross Weight / 毛重	450kg
Packing Size / 裝箱尺寸	29"L X 29"W X 61.5"H
效能/EFFICENCY	High Pressure 1980 KG/ 最大出力 1980 KG
Suitable Hardware/適用範圍	Semi-tubular Rivet, Solid Rivet/ 中孔釘、實心釘

Features:
The Hydraulic function of Riveting Produce the equal strength for better grip of the handle & bracket. The machine is designed for all type and size of Cooker, Utensils and Kitchenware items & computer shell.

產品特色：
油壓鉚釘機具有更好地抓地力的功能，鉚合有力、準確。適合用來鉚合強硬、較厚的材質，此款油壓鉚釘機也能應用在鍋具、廚房用品、電腦機殼。

HM-615BC Two Stroke Riveting Machine with 15" Throat Depth, 1/2 HP 大型二冲程鉚釘機



Throat Depth / 喉深	15"
Power / 馬力	1/2 HP
Stroke / 行程	70 m/m
Net Weight / 淨重	280 kg
Gross Weight / 毛重	380 kg
Packing Size / 裝箱尺寸	40"L X 26"W X 75"H
適用範圍	Taper-end Rivet, Bifurcated Rivet, Semi-Tubular Rivet/ 束口釘、 開叉釘、中孔釘

Feature:
Used for bottom, handle, pulling, bifurcated rivet, wheel, car brake and bundle rivet riveting. Automatic setting machine with rivet feeding. Single rivet riveting, automatic feeding of rivet and washer loading by hand operated.

產品特色：
適用鉚合於皮件箱包底釘、托帶側釘、開叉釘、輪子、剎車皮等鉚釘、束口釘。單粒鉚合，鉚釘自動送料，套片可手動放料。

HM-636 Semi-Automatic Riveting Machine (For Golf Bag Setting) 半自動高爾夫球袋鉚釘機



Throat Depth / 喉深	36"
Power / 馬力	1/2 HP
Stroke / 行程	60 m/m
Net Weight / 淨重	450 kg
Gross Weight / 毛重	530 kg
Packing Size / 裝箱尺寸	57"L X 26"W X 63"H
Suitable Hardware/適用範圍	Hollow Rivet, Bifurcated Rivet, Taper-end Rivet/空心釘、 中孔釘、束口釘
Suitable Size/ 適用尺寸	線徑 3-4.5mm/長度6-25mm

Features:
Two steps spindle down feed is controlled by foot pedal that facilitate the accurate alignment of spindle to rivet holder. Choose from 2 throat depths-23" or 36" to meet various positions of bag riveting needs. Single rivet riveting, automatic feeding of rivet, and washer loading by hand operated.

產品特色：
腳踏板有雙段式的控制，便於正確的定位與鉚合。適合球袋不同位置鉚合，有喉深23"與36"可供選擇。單粒鉚合，鉚釘自動送料，以及套片手動入料。

HM-170 Hand Press 手壓台 (Table Type)



Throat Depth / 喉深	3"
Power / 馬力	/
Stroke / 行程	30m/m
Net Weight / 淨重	5.5 kg
Gross Weight / 毛重	5.8 kg
Packing Size / 裝箱尺寸	16"L × 10"W × 4 1/4"H
Suitable Hardware/適用範圍	Eyelet, Snap Fastener Button, Press Fastener Button, Hollow Rivet, Prong Snap Button/ 雞眼、四合釦、壓釦、空心釘、五爪扣

Feature:
Economical, light-weight, portable, manual setting machine. Easily changeable dies. Table mount.

產品特色：
具有一般手動鉚合功能，可輕易變換鉚合模具，經濟實用，可固定於桌面。

H-230LD Foot Press 腳壓台



Throat Depth / 喉深	3 3/4"
Power / 馬力	/
Stroke / 行程	30m/m
Net Weight / 淨重	55 kg
Gross Weight / 毛重	58 kg
Packing Size / 裝箱尺寸	35 1/2"L × 21"W × 7 1/2"H
Suitable hardware/適用範圍	Eyelet, snap fastener button, hollow rivet, prong snap button/ 雞眼、四合釦、空心釘、五爪扣

Feature:
Economical, light-weight, foot press setting machine. Easily changeable dies.

產品特色：
具有一般手動鉚合功能，可輕易變換鉚合模具，經濟實用。

HM-608D Twin Riveting M/C 雙孔鉚釘機



Throat Depth / 喉深	21"
Power / 馬力	1/2 HP
Stroke / 行程	50 m/m
Net Weight / 淨重	320 kg
Gross Weight / 毛重	440 kg
Packing Size / 裝箱尺寸	51 1/4"L × 43 1/2"W × 56 1/4"H
Suitable Hardware/適用範圍	Hollow Rivet, Eyelet, Semi-tubular Rivet/ 空心釘、中孔釘、雞眼

Feature:
Setting two rivets in one operation Automatic feeding of rivets for continuous setting. Ideal for setting ring binders, folders, etc.

產品特色：
適用鉚合文具孔夾，具備一次雙孔鉚合、連續送料功能。

HM-608HK Riveting Machine Specially Designed for Hook-Rivets
虎骨雞眼(鉤釘)專用 鉚釘機

Feature:
Setting machine specially designed for the hook-rivets.
Double side automatic feeding.

產品特色：
鉤釘(虎骨雞眼)專用之自動鉚合機，採雙邊自動送料。



Throat Depth / 喉深	10"
Power / 馬力	1/2 HP
Stroke / 行程	60 m/m
Net Weight / 淨重	180 kg
Gross Weight / 毛重	250 jg
Packing Size / 裝箱尺寸	38"L × 36"W × 66"H
Suitable Hardware/適用範圍	Hook Rivet/ 虎骨鉤
Suitable Size/ 適用尺寸	Φ 7-13mm

HM-9017 Automatic Hook Rivet Fastening Machine
自動虎骨鉤鉚釘機

Feature:
It's used for button fastening on fashion women shoes, safety shoes, mountaineering shoes, sports shoes and leisure shoes etc. The automatic electronic sensing whole-set controller of internationally advanced technology advanced. The system controls the operation process of button fastening carried out by the main motor, which will automatically stops when the operation is stopped. High production: 2500 times per hour.

產品特色：
適用於鉚合女鞋、登山鞋、運動鞋上的虎鉤鉤，選用國外自動化電子感應全套控制器，生產效率高，每小時可鉚合2500次。系統控制主要馬達運轉過程，不操作就會自動停止。



Power / 馬力	0.37 kw
物料厚度/Material Thickness	4mm
Motor Rotation Speed	900 RPM
Net Weight / 淨重	182 kg
Gross Weight / 毛重	222 kg
Suitable hardware/適用範圍	虎鉤鉤/ Hook Rivets

HM-9018 Automatic Mountaineering Rivet Fastening Machine
自動登山鞋鉤機

Features:
It's used for mountaineering button fastening on safety shoes, mountaineering shoes, sports and leisure shoes etc. The automatic electronic sensing whole-set controller of internationally advanced technology advanced. The system controls the operation process of button fastening carried out by the main motor, which will automatically stops when the operation is stopped. High production: 2500 times per hour.

產品特色：
適用於鉚合登山鞋、運動鞋、休閒鞋上的登山鞋鉤，選用國外自動化電子感應全套控制器，生產效率高，每小時可鉚合2500次。系統控制主要馬達運轉過程，不操作就會自動停止。



Power / 馬力	0.37 kw
Motor Rotation Speed/ 馬達轉速	900 RPM
Net Weight / 淨重	182 kg
Gross Weight / 毛重	225 kg
Packing Size / 裝箱尺寸	1500*950*680 mm
Material Thickness/ 物料厚度	4mm

HM-612CF Riveting Machine with Motor-Driven Auto-Feeding 鉚釘機



Throat Depth / 喉深	12"
Power / 馬力	1/2 HP
Stroke / 行程	70 m/m
Net Weight / 淨重	220 kg
Gross Weight / 毛重	300 kg
Packing Size / 裝箱尺寸	34"L × 24"W × 63"H
Suitable Hardware/適用範圍	Bifurcated Rivet, Semi-tubular Rivet, Taper-end Rivet 開叉釘、中孔釘、束口釘
Suitable Size/ 適用尺寸	線徑3-8mm/長度6-60mm

Feature:

Riveting machine suitable for luggage, handbag, etc....Motor-driven hopper for continuous feeding of rivets. This machine will fit the length of rivets from 15 to 36 mm.

產品特色：

適用鉚合皮箱、皮包等，適合鉚合 15-36mm 鉚釘尺寸。配有馬達帶動自動送料功能。

HM-612CFT Tee Nuts Setting Machine Motor-Driven Auto-Feeding 四腳釘機



Throat Depth / 喉深	12"
Power / 馬力	1/2 HP
Stroke / 行程	70 m/m
Net Weight / 淨重	220 kg
Gross Weight / 毛重	300 kg
Packing Size / 裝箱尺寸	34"L × 24"W × 63"H
Suitable Hardware/適用範圍	Tee Nuts/ 四腳釘
Suitable Size/ 適用尺寸	線徑3-8mm/長度6-60mm

Feature:

Riveting machine suitable for furniture nuts, etc...., make iron-pipe riveting and chair-plate connecting easier and more outstanding. Motor-driven hopper for continuous feeding of rivets. This machine will fit the length of rivets from 15 to 36 mm.

產品特色：

適用鉚合家具用四腳釘，適合鉚合 15-36mm 鉚釘尺寸。配有馬達帶動自動送料功能。

HM-612CF+6 Riveting Machine with Motor-Driven Auto-Feeding 自動送料鉚釘機



Throat Depth / 喉深	12"
Power / 馬力	1/2HP
Stroke / 行程	90 m/m
Net Weight / 淨重	260 kg
Gross Weight / 毛重	340 kg
Suitable Hardware/適用範圍	40"L × 26"W × 69"H
Suitable Size/ 適用尺寸	Bifurcated Rivet, Semi-Tubular Rivet, Taper-end Rivet/ 開叉釘、中孔釘、束口釘

Feature:

Riveting machine suitable for luggage, handbag, shoes, etc. Motor-driven hopper for continuous feeding of rivets.

產品特色：

適用鉚合皮箱、袋子、鞋子、嬰兒車等鉚合作業，具備馬達帶動之自動連續送料功能。

HM-612CF Riveting Machine With Power Feeding
齒輪鉚釘機



Throat Depth / 喉深	12"
Power / 馬力	1 HP
Stroke / 行程	70 m/m
Net Weight / 淨重	384 kg
Gross Weight / 毛重	434 kg
Packing Size / 裝箱尺寸	24"L X 45.6"W X 58"
Suitable Hardware/適用範圍	Solid Rivet, Semi-Tubular Rivet, Taper-end Rivet/ 實心釘、中孔釘、束口釘

Feature:
Motor-driven hopper for continuous feeding of rivets. Because 1 HP Motor, which can help to set more thicker material.

產品特色：
具有HM-612CF相同功能，除了馬達自動送料功能，1 HP的馬力更適合鉚合摺疊椅，或需要更大鉚合力的材料上。

HM-101A CUTTING MACHINE (Fully controlled by computer)
電子裁切機附熱熔組



Throat Death / 喉深	/
Power / 馬力	1/4 HP
Stroke / 行程	160 m/m
Net Weight / 淨重	78 kg
Gross Weight / 毛重	161 kg
Packing Size / 裝箱尺寸	30 1/2"L X 24 1/2"W X 48 1/2"H

Feature:
Fully computerized cutting machine. Can be fitted with cold-knife for cutting: plastic, leather, rubber, etc....Can be fitted with hot-knife for cutting: webbing, nylon, Velcro, etc.... Adjustable hot-knife temperature: up to 400 F. Automatically cuts from 1 up to 99999 pieces. Adjustable feeding speed. And adjustable cutting length: from 0.5" to 393".

產品特色：
全電腦控制切帶機，可裝上冷刀：便於裁切塑膠、皮革、橡膠等材料；也可裝上熱刀：便於裁切織帶、尼龍、黏扣帶等材料。熱刀溫度可調至華氏400度，切料可設定1~99999片，可調整送料速度，裁切長度可設定0.5~393英吋。

HM-608DFE Folder & Lever Arch Setting M/C
文具孔夾四粒雞眼機



Throat Depth / 喉深	300 "
Power / 馬力	1/2 HP
Stroke / 行程	60 m/m
Net Weight / 淨重	270 kg
Gross Weight / 毛重	380 kg
Packing Size / 裝箱尺寸	40 1/2"L X 36 3/4" W X 69 1/3"H
Suitable Hardware/適用範圍	雞眼/ Eyelet

Feature:
Setting four eyelets in one operation. Automatic feeding of eyelets for continuous setting. Ideal for setting lever arch, folders, etc

產品特色：
適用鉚合文具孔夾，具備一次四孔鉚合雞眼連續送料功能。



HHM

何宏明企業股份有限公司

**Ho Hung Ming Enterprises Co.,
Ltd.**

No.78, Lu Shan 3rd Street, Feng Yuan Dist,

Taichung City, Taiwan 42075

台中市豐原區綠山三街78號

TEL : +886-4-25269230

FAX: +886-4-25274655

E-mail: hohmtw.hohm@msa.hinet.net